	<b>SAFETY DATA SHEET</b>	Page : 1 / 13
		Revision nr : 3.0
	<b>Euro diesel B 7</b>	Issue date : 11/03/2016
		Supersedes : 26/03/2015

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form : Mixture  
Trade name/designation : Euro diesel B 7  
Product group : Trade product

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category : Industrial uses, Professional use  
Use of the substance/mixture : Fuels

#### 1.2.2. Uses advised against

No data available

### 1.3. Details of the supplier of the safety data sheet

#### Supplier

NIS a.d. Novi Sad  
Narodnog Fronta 12  
21000 Novi Sad - Serbia  
T + 381 (0) 21 481 1111  
[Dragana.Cvetkov@nis.eu](mailto:Dragana.Cvetkov@nis.eu) (Responsible person SDS/REACH)

#### Only Representative

REACH Law Ltd.  
Vänrikinkuja 3 JK 21  
02600 Espoo - Finland  
T +358(0) 9 412 3055 - F +358 (0) 9 412 3049  
[sds@reachlaw.fi](mailto:sds@reachlaw.fi)

#### Manufacturer

NIS a.d. Novi Sad  
Narodnog Fronta 12  
21000 Novi Sad - Serbia  
T + 381 (0) 21 481 1111  
[Dragana.Cvetkov@nis.eu](mailto:Dragana.Cvetkov@nis.eu) (Responsible person SDS/REACH)

### 1.4. Emergency telephone number

Emergency number : + 381 (0) 21 481 1111 (08-16h) + 381 (0)11 360 8440 (24 h) + 381 (0)11 266 1122 (24 h) + 381 (0)11 266 2755 (24 h)


Country	Official advisory body	Address	Emergency number
Ireland	National Poisons Information Centre Beaumont Hospital	Beaumont Hospital Beaumont Road 9 Dublin	+353 1 809 21 66 (public, 8am - 10pm, 7/7) +353 01 809 2566 (Professionals, 24/7)
United Kingdom	National Poisons Information Service (Newcastle Centre) Regional Drugs and Therapeutics Centre, Wolfson Unit	Claremont Place Newcastle-upon-Tyne NE1 4LP Newcastle	0844 892 0111 (UK only, Monday to Friday, 08.00 to 18.00 hours, healthcare professionals only)

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flam. Liq. 3 H226  
Acute Tox. 4 (Inhalation) H332  
Skin Irrit. 2 H315  
Carc. 2 H351  
STOT RE 2 H373  
Asp. Tox. 1 H304  
Aquatic Chronic 2 H411

	<b>SAFETY DATA SHEET</b>	Page : 2 / 13
		Revision nr : 3.0
	<b>Euro diesel B 7</b>	Issue date : 11/03/2016
		Supersedes : 26/03/2015

Full text of hazard classes and H-statements : see section 16

## 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms :



Signal word :

Danger

Hazard statements :

H226 - Flammable liquid and vapour.  
 H304 - May be fatal if swallowed and enters airways.  
 H315 - Causes skin irritation.  
 H332 - Harmful if inhaled.  
 H351 - Suspected of causing cancer.  
 H373 - May cause damage to organs through prolonged or repeated exposure.  
 H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements :

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking.  
 P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.  
 P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER/doctor/.  
 P331 - Do NOT induce vomiting.  
 P273 - Avoid release to the environment.  
 P280 - Wear protective gloves/ protective clothing/ eye protection/ face protection.  
 P501 - Dispose of contents/container to an authorised waste collection point.

## 2.3. Other hazards

Other hazards :

Results of PBT and vPvB assessment. This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

## SECTION 3: Composition/information on ingredients


### 3.1. Substance

Not applicable

### 3.2. Mixture

Substance name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Fuels, diesel	(CAS No.) 68334-30-5 (EC No) 269-822-7 (EC Index) 649-224-00-6 (REACH-no) 01-2119484664-27-0186	< 100	Flam. Liq. 3, H226 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Carc. 2, H351 STOT RE 2, H373 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Fatty acids, vegetable-oil, Me esters	(CAS No.) 68990-52-3 (EC No) 273-606-8 (REACH-no) 01-2119485821-32-XXXX	<= 7	Not classified

Full text of H-statements: see section 16

	<b>SAFETY DATA SHEET</b>	Page : 3 / 13
		Revision nr : 3.0
	<b>Euro diesel B 7</b>	Issue date : 11/03/2016
		Supersedes : 26/03/2015

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

Additional advice	: First aider: Pay attention to self-protection. See also section 8 . Treat symptomatically. Never give anything by mouth to an unconscious person or a person with cramps. Show this safety data sheet to the doctor in attendance. In case of doubt or persistent symptoms, consult always a physician.
Inhalation	: Keep at rest. Provide fresh air. If breathing is difficult, give oxygen. If breathing is irregular or stopped, administer artificial respiration. In case of doubt or persistent symptoms, consult always a physician.
Skin contact	: Remove contaminated clothing and shoes. Wash with plenty of water/. In case of doubt or persistent symptoms, consult always a physician.
Eyes contact	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.
In case of ingestion	: Do NOT induce vomiting. Rinse mouth immediately and drink plenty of water. Get medical advice/attention.

### 4.2. Most important symptoms and effects, both acute and delayed

Inhalation	: Harmful if inhaled. May cause respiratory irritation.
Skin contact	: Causes skin irritation.
Eyes contact	: Contact with eyes may cause irritation.
Ingestion	: May be fatal if swallowed and enters airways. May cause gastrointestinal irritation, nausea, vomiting and diarrhoea.
Chronic symptoms	: Suspected of causing cancer. May cause damage to organs through prolonged or repeated exposure.

### 4.3. Indication of any immediate medical attention and special treatment needed

No data available

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	: Water spray, Alcohol resistant foam, Carbon dioxide, Dry extinguishing powder.
Unsuitable extinguishing media	: Strong water jet.

### 5.2. Special hazards arising from the substance or mixture

Specific hazards	: Flammable liquid and vapour. Vapours can form explosive mixtures with air. Vapours are heavier than air and may spread along floors. The pressure in sealed containers can increase under the influence of heat. Hazardous decomposition products COx,H2S,SOx, NOx. Do not allow run-off from fire-fighting to enter drains or water courses. Dispose of waste in accordance with environmental legislation.
------------------	--

### 5.3. Advice for firefighters


Firefighting instructions	: Special protective equipment for firefighters. In case of fire: Wear self-contained breathing apparatus. Use water spray or fog for cooling exposed containers. Evacuate personnel to a safe area. Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
---------------------------	---

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

For non-emergency personnel	: Evacuate personnel to a safe area. Use personal protective equipment as required. Reference to other sections: 8. Avoid contact with skin, eyes and clothing. Do not breathe vapour/aerosol. Vapours can form explosive mixtures with air. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ensure equipment is adequately earthed.
-----------------------------	---

	<b>SAFETY DATA SHEET</b>	Page : 4 / 13
		Revision nr : 3.0
	<b>Euro diesel B 7</b>	Issue date : 11/03/2016
		Supersedes : 26/03/2015

### 6.1.2. For emergency responders

For emergency responders : Ensure procedures and training for emergency decontamination and disposal are in place. Concerning personal protective equipment to use, see section 8.

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Stop leak if safe to do so. Dam up. Take up liquid spill into absorbent material, e.g.: sand, earth, vermiculite or powdered limestone. Collect in closed and suitable containers for disposal. After cleaning, flush traces away with water. Dispose of contaminated materials in accordance with current regulations.

### 6.4. Reference to other sections

Concerning personal protective equipment to use, see section 8. Disposal: see section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Provide adequate ventilation. Use personal protective equipment as required. Concerning personal protective equipment to use, see section 8. Avoid contact with skin, eyes and clothing. Do not breathe vapour/aerosol. Take precautionary measures against static discharges. Ensure equipment is adequately earthed. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take any precaution to avoid mixing with incompatible materials. See also section 10. Ensure proper process control to avoid excess waste discharge (temperature, concentration, pH, time). Do not allow to enter into surface water or drains.

Hygiene measures : Keep good industrial hygiene. When using do not eat, drink or smoke. Wash hands and face before breaks and immediately after handling of the product. Take off contaminated clothing. Keep work clothes separately. Keep away from food, drink and animal feedingstuffs.

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Storage of flammable liquids. Keep container tightly closed in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not store near or with any of the incompatible materials listed in section 10.

Packaging materials : Keep/Store only in original container.

### 7.3. Specific end use(s)

No data available


## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

Fuels, diesel (68334-30-5)		
Belgium	Limit value (mg/m <sup>3</sup> )	100 mg/m <sup>3</sup> (aerosol and vapor)
Ireland	OEL (8 hours ref) (mg/m <sup>3</sup> )	100 mg/m <sup>3</sup>
Ireland	OEL (15 min ref) (mg/m <sup>3</sup> )	300 mg/m <sup>3</sup> (calculated)
Poland	NDS (mg/m <sup>3</sup> )	0,5 mg/m <sup>3</sup> (respirable fraction stable particulates)
Portugal	OEL TWA (mg/m <sup>3</sup> )	100 mg/m <sup>3</sup> (aerosol and vapor)
USA - ACGIH	ACGIH TWA (mg/m <sup>3</sup> )	100 mg/m <sup>3</sup> (inhalable fraction and vapor)

### Euro diesel B 7

DNEL/DMEL (workers)	
Acute - systemic effects, inhalation	(15min) 4300 mg/m <sup>3</sup>
Long-term - systemic effects, dermal	(8h) 2,9 mg/kg bodyweight/day

	<b>SAFETY DATA SHEET</b>	Page : 5 / 13
		Revision nr : 3.0
	<b>Euro diesel B 7</b>	Issue date : 11/03/2016
		Supersedes : 26/03/2015

<b>Euro diesel B 7</b>	
Long-term - systemic effects, inhalation	(8h) 68 mg/m <sup>3</sup>
DNEL/DMEL (general population)	
Acute - systemic effects, inhalation	(15min) 2600 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	20 mg/m <sup>3</sup>
Long-term - systemic effects, dermal	1,3 mg/kg bodyweight/day

Additional information : Recommended monitoring procedures :. Personal monitoring. Concentration measurement in air


## **8.2. Exposure controls**

Engineering control measures	: Provide adequate ventilation. Use only in area provided with appropriate exhaust ventilation. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Take precautionary measures against static discharge. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres. Organisational measures to prevent /limit releases, dispersion and exposure. See also section 7.
Personal protection equipment	: The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
Hand protection	: Wear chemically resistant gloves (tested to EN374) . The selection of specific gloves for a specific application and time of use in a working area, should also take into account other factors on the working space, such as (but not limited to): other chemicals that are possibly used, physical requirements (protection against cutting/drilling, skill, thermal protection), and the instructions/specification of the supplier of gloves. neoprene gloves,. NBR (Nitrile rubber),. PVC (Polyvinyl chloride),. rubber gloves. Breakthrough time (maximum wearing time) : >480min
Eye protection	: Safety glasses (EN 166)
Body protection	: Wear suitable coveralls to prevent exposure to the skin
Respiratory protection	: In case of insufficient ventilation, wear suitable respiratory equipment. Half-face mask (DIN EN 140) (EN 140). Full face mask (EN 136) (EN 136). Filter type: A (EN 141)
Thermal hazard protection	: Not required for normal conditions of use. Use dedicated equipment.
Environmental exposure controls	: Do not allow to enter into surface water or drains. Comply with applicable Community environmental protection legislation.

## **SECTION 9: Physical and chemical properties**

### **9.1. Information on basic physical and chemical properties**

Physical state	: liquid
Colour	: characteristic. Yellow.
Odour	: characteristic. Hydrocarbons.
Odour threshold	: No data available
pH	: Not applicable
Relative evaporation rate (butylacetate=1)	: No data available
Melting point/freezing point	: No data available
Freezing point	: No data available
Initial boiling point and boiling range	: 163 - 375 °C
Flash point	: > 55 °C
Auto-ignition temperature	: 250 - 460 °C
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable,liquid
Vapour pressure	: No data available
Vapour density	: No data available

	<b>SAFETY DATA SHEET</b>	Page : 6 / 13
	<b>Euro diesel B 7</b>	Revision nr : 3.0
Issue date : 11/03/2016		
Supersedes : 26/03/2015		

Relative density	: 0,82 - 0,845 (15 °C)
Solubility	: No data available. Water: < 20 mg/l (20 °C)
Partition coefficient n-octanol/water	: 3,9 - 6
Kinematic viscosity	: 2 - 4,5 mm <sup>2</sup> /s (40° C)
Dynamic viscosity	: No data available
Explosive properties	: Not applicable.
Oxidising properties	: Not applicable.
Explosive limits	: 0,6 vol % 6,5 vol %

## **9.2. Other information**

No data available

## **SECTION 10: Stability and reactivity**

### **10.1. Reactivity**

Flammable liquid and vapour. Reference to other sections: 10.5.

### **10.2. Chemical stability**

The product is stable under storage at normal ambient temperatures.

### **10.3. Possibility of hazardous reactions**

Vapours can form explosive mixtures with air. Reference to other sections: 10.4.

### **10.4. Conditions to avoid**

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. See also section 7. Handling and storage.

### **10.5. Incompatible materials**

Incompatible with strong acids and oxidizing agents. Bases. See also section 7. Handling and storage.

### **10.6. Hazardous decomposition products**

Hazardous decomposition products formed under fire conditions. Reference to other sections: 5.2.

## **SECTION 11: Toxicological information**


### **11.1. Information on toxicological effects**

Acute toxicity : Inhalation: Harmful if inhaled.

<b>Fuels, diesel (68334-30-5)</b>	
LD50/oral/rat	> 2000 mg/kg
LD50/dermal/rabbit	> 2000 mg/kg
LC50/inhalation/4h/rat	4,1 mg/l/4h

<b>Fatty acids, vegetable-oil, Me esters (68990-52-3)</b>	
LD50/oral/rat	> 5000 mg/kg
LD50/dermal/rat	> 2000 mg/kg

Skin corrosion/irritation	: Causes skin irritation. pH: Not applicable
Serious eye damage/eye irritation	: Not classified (Based on available data, the classification criteria are not met) pH: Not applicable
Respiratory or skin sensitisation	: Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Suspected of causing cancer.
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)

	<b>SAFETY DATA SHEET</b>	Page : 7 / 13
		Revision nr : 3.0
	<b>Euro diesel B 7</b>	Issue date : 11/03/2016
		Supersedes : 26/03/2015

STOT-repeated exposure : May cause damage to organs through prolonged or repeated exposure.

<b>Fuels, diesel (68334-30-5)</b>	
NOAEL (dermal, rat/rabbit, 90 days)	30 mg/kg bodyweight/day

Aspiration hazard : May be fatal if swallowed and enters airways.

<b>Euro diesel B 7</b>	
Kinematic viscosity	2 - 4,5 mm <sup>2</sup> /s (40° C)

Other information : Symptoms related to the physical, chemical and toxicological characteristics.  
Reference to other sections: 4.2.

## SECTION 12: Ecological information

### 12.1. Toxicity

Environmental properties : Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

<b>Fuels, diesel (68334-30-5)</b>	
LC50 fish 1	21 mg/l (96 h)
EC50 Daphnia 1	68 mg/l (48h)
EC50 other aquatic organisms 1	> 1000 mg/l (40 h)
ErC50 (algae)	22 mg/l (72 h)
NOEC chronic fish	0,083 mg/l
NOEC chronic crustacea	0,2 mg/l

<b>Fatty acids, vegetable-oil, Me esters (68990-52-3)</b>	
LC50 fish 1	100000 mg/l

### 12.2. Persistence and degradability

<b>Euro diesel B 7</b>	
Persistence and degradability	Readily biodegradable.

### 12.3. Bioaccumulative potential

<b>Euro diesel B 7</b>	
Partition coefficient n-octanol/water	3,9 - 6

<b>Fuels, diesel (68334-30-5)</b>	
Partition coefficient n-octanol/water	study scientifically unjustified

### 12.4. Mobility in soil

<b>Euro diesel B 7</b>	
Ecology - soil	No data available.


<b>Fuels, diesel (68334-30-5)</b>	
Surface tension	not relevant

### 12.5. Results of PBT and vPvB assessment

<b>Euro diesel B 7</b>	
Results of PBT assessment	This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

### 12.6. Other adverse effects

No data available

	<b>SAFETY DATA SHEET</b>	Page : 8 / 13
		Revision nr : 3.0
	<b>Euro diesel B 7</b>	Issue date : 11/03/2016
		Supersedes : 26/03/2015

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Waste disposal recommendations	: Handle with care. Safe handling: see section 7. Handling and storage. Refer to manufacturer/supplier for information on recovery/recycling. Collect and dispose of waste product at an authorised disposal facility. Dispose of contaminated materials in accordance with current regulations.
Additional information	: Never use pressure to empty container. Do not burn, or use a cutting torch on, the empty drum. Do not puncture or incinerate. Delivery to an approved waste disposal company. Dispose of contaminated materials in accordance with current regulations.
Further ecological information	: Do not allow to enter into surface water or drains.
List of proposed waste codes/waste designations in accordance with EWC (2001/573/EC, 75/442/EEC, 91/689/EEC)	: Classified as hazardous waste according to European Union regulations Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities

### SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

#### 14.1. UN number

UN number	: 1202
UN-No	: 1202
UN-No	: 1202
UN-No. (ADN)	: 1202
UN-No. (RID)	: 1202

#### 14.2. UN proper shipping name

Proper Shipping Name	: GAS OIL
Proper Shipping Name (IMDG)	: GAS OIL
Proper Shipping Name (IATA)	: Gas oil
Proper Shipping Name (ADN)	: GAS OIL
Proper Shipping Name (RID)	: GAS OIL
Transport document description (ADR)	: UN 1202 GAS OIL, 3, III, (D/E), ENVIRONMENTALLY HAZARDOUS
Transport document description (IMDG)	: UN 1202 GAS OIL, 3, III, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS
Transport document description (IATA)	: UN 1202 Gas oil, 3, III, ENVIRONMENTALLY HAZARDOUS
Transport document description (ADN)	: UN 1202 GAS OIL, 3, III, ENVIRONMENTALLY HAZARDOUS
Transport document description (RID)	: UN 1202 GAS OIL, 3, III, ENVIRONMENTALLY HAZARDOUS

#### 14.3. Transport hazard class(es)

##### ADR

Transport hazard class(es) (ADR)	: 3
Danger labels (ADR)	: 3



##### IMDG

Transport hazard class(es) (IMDG)	: 3
Danger labels (IMDG)	: 3





# SAFETY DATA SHEET

Page : 9 / 13

Revision nr : 3.0

Issue date : 11/03/2016

Supersedes : 26/03/2015

## Euro diesel B 7



### IATA

Transport hazard class(es) (IATA) : 3

Hazard labels (IATA) : 3



### ADN

Transport hazard class(es) (ADN) : 3

Danger labels (ADN) : 3



### RID

Transport hazard class(es) (RID) : 3

Danger labels (RID) : 3



### 14.4. Packing group

Packing group (ADR) : III

Packing group (IMDG) : III

Packing group (IATA) : III

Packing group (ADN) : III

Packing group (RID) : III

### 14.5. Environmental hazards

Dangerous for the environment : Yes

Marine pollutant : Yes

Other information : ADN :N2


### 14.6. Special precautions for user

#### - Overland transport


Classification code (ADR) : F1

Special Provisions : 640K, 363, 664

Limited quantities (ADR) : 5l

	<b>SAFETY DATA SHEET</b>	Page : 10 / 13
		Revision nr : 3.0
	<b>Euro diesel B 7</b>	Issue date : 11/03/2016
		Supersedes : 26/03/2015

Excepted quantities (ADR) : E1  
 Packing instructions (ADR) : P001, IBC03, LP01, R001  
 Mixed packing provisions (ADR) : MP19  
 Portable tank and bulk container instructions (ADR) : T2  
 Portable tank and bulk container special provisions (ADR) : TP1  
 Tank code (ADR) : LGBF  
 Vehicle for tank carriage : FL  
 Transport category (ADR) : 3  
 Special provisions for carriage - Packages (ADR) : V12  
 Special provisions for carriage - Operation (ADR) : S2  
 Hazard identification number (Kemler No.) : 30  
 Orange plates :



tunnel restriction code : D/E  
 EAC code : 3Y

**- Transport by sea**


Special provisions (IMDG) : 363  
 Limited quantities (IMDG) : 5 L  
 Excepted quantities (IMDG) : E1  
 Packing instructions (IMDG) : P001, LP01  
 IBC packing instructions (IMDG) : IBC03  
 Tank instructions (IMDG) : T2  
 Tank special provisions (IMDG) : TP1  
 EmS-No. (Fire) : F-E  
 EmS-No. (Spillage) : S-E  
 Stowage category (IMDG) : A  
 Properties and observations (IMDG) : Immiscible with water.

**- Air transport**

PCA Excepted quantities (IATA) : E1  
 PCA Limited quantities (IATA) : Y344  
 PCA limited quantity max net quantity (IATA) : 10L  
 PCA packing instructions (IATA) : 355  
 PCA max net quantity (IATA) : 60L  
 CAO packing instructions (IATA) : 366  
 CAO max net quantity (IATA) : 220L  
 Special provisions (IATA) : A3  
 ERG code (IATA) : 3L

**- Inland waterway transport**

Classification code (ADN) : F1  
 Special provisions (ADN) : 363, 640K  
 Limited quantities (ADN) : 5 L

	<b>SAFETY DATA SHEET</b>	Page : 11 / 13
		Revision nr : 3.0
	<b>Euro diesel B 7</b>	Issue date : 11/03/2016
		Supersedes : 26/03/2015

Excepted quantities (ADN) : E1  
 Carriage permitted (ADN) : T  
 Equipment required (ADN) : PP, EX, A  
 Ventilation (ADN) : VE01  
 Number of blue cones/lights (ADN) : 0

**- Rail transport**

Classification code (RID) : F1  
 Special provisions (RID) : 363, 640K  
 Limited quantities (RID) : 5L  
 Excepted quantities (RID) : E1  
 Packing instructions (RID) : P001, IBC03, LP01, R001  
 Mixed packing provisions (RID) : MP19  
 Portable tank and bulk container instructions (RID) : T2  
 Portable tank and bulk container special provisions (RID) : TP1  
 Tank codes for RID tanks (RID) : LGBF  
 Transport category (RID) : 3  
 Special provisions for carriage – Packages (RID) : W12  
 Colis express (express parcels) (RID) : CE4  
 Hazard identification number (RID) : 30

**14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable

**SECTION 15: Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**15.1.1. EU-Regulations**

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:

3. Liquid substances or mixtures which are regarded as dangerous in accordance with Directive 1999/45/EC or are fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008	Euro diesel B 7 - Fuels, diesel
3.a. Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F	Euro diesel B 7 - Fuels, diesel
3.b. Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	Euro diesel B 7 - Fuels, diesel
3.c. Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1	Euro diesel B 7 - Fuels, diesel


Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

**15.1.2. National regulations**

**Germany**

VwVwS Annex reference : Water hazard class (WGK) 2, hazard to waters (Classification according to VwVwS, Annex 4)

	<b>SAFETY DATA SHEET</b>	Page : 12 / 13
	<b>Euro diesel B 7</b>	Revision nr : 3.0
Issue date : 11/03/2016		
Supersedes : 26/03/2015		

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

#### Netherlands

Waterbezwaarlijkheid : 6 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. (A)

SZW-lijst van kankerverwekkende stoffen : Fuels, diesel, Fatty acids, vegetable-oil, Me esters are listed

SZW-lijst van mutagene stoffen : Fuels, diesel, Fatty acids, vegetable-oil, Me esters are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : None of the components are listed

#### Denmark

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product  
Pregnant/breastfeeding women working with the product must not be in direct contact with the product


#### 15.2. Chemical safety assessment

<b>For the following substances of this mixture a chemical safety assessment has been carried out</b>
Fuels, diesel

### SECTION 16: Other information

Abbreviations and acronyms:

	DNEL = Derived No Effect Level
	DMEL = Derived Minimal Effect level
	PNEC = Predicted No Effect Concentration
	OEL-STEL = Occupational Exposure Limits - Short Term Exposure Limits (STELs)
	TWA = time weighted average
	LC50 = Median lethal concentration
	LD50 = Median lethal dose
	LL50 = Median lethal level
	EC50 = Median Effective Concentration
	EL50 = Median effective level
	ErC50 = EC50 in terms of reduction of growth rate
	ErL50 = EL50 in terms of reduction of growth rate
	NOEL = no-observed-effect level
	NOEC = No observed effect concentration
	NOELR = No observed effect loading rate
	NOAEC = No observed adverse effect concentration

	<b>SAFETY DATA SHEET</b>	Page : 13 / 13
	<b>Euro diesel B 7</b>	Revision nr : 3.0
Issue date : 11/03/2016		
Supersedes : 26/03/2015		

	NOAEL = No observed adverse effect level
	EWC = European waste catalogue
	NA = Not applicable
	N.O.S. = Not Otherwise Specified
	VOC = Volatile organic compounds
	mg/kg BW = mg/kg bodyweight
	QSAR = Quantitative structure-activity relationship (QSAR)
	ADN = Accord Européen relatif au Transport International des Marchandises Dangereuses par voie de Navigation du Rhin ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route CLP = Classification, Labelling and Packaging Regulation according to 1272/2008/EC IATA = International Air Transport Association IMDG = International Maritime Dangerous Goods Code LEL = Lower Explosive Limit/Lower Explosion Limit UEL = Upper Explosion Limit/Upper Explosive Limit REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
	WGK = Wassergefährdungsklasse (Water Hazard Class under German Federal Water Management Act)
	ABM = Algemene beoordelingsmethodiek

Sources of key data used to compile the datasheet : European Chemicals Bureau Supplier sds.

Other information : Assessment/classification CLP. Article 9. Calculation method.

Full text of H- and EUH-statements:

Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Aquatic Chronic 2	Hazardous to the aquatic environment - chronic hazard category 2
Asp. Tox. 1	Aspiration hazard, Category 1
Carc. 2	Carcinogenicity, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H332	Harmful if inhaled.
H351	Suspected of causing cancer.
H373	May cause damage to organs through prolonged or repeated exposure.
H411	Toxic to aquatic life with long lasting effects.

The contents and format of this SDS are in accordance with EEC Commission Directive 2015/830/EC, 1272/2008/EC and EEC Commission Regulation 1907/2006/EC (REACH) Annex II.

**DISCLAIMER OF LIABILITY** The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.